

# PHEROCON<sup>®</sup>

INSECT MONITORING SYSTEMS



A WHOLE NEW SPIN ON IPM



INSECT PHEROMONE & KAIROMONE SYSTEMS

Your Edge – And Ours – Is Knowledge.

[www.trece.com](http://www.trece.com)

<b>PHEROCON CODLING MOTH (<i>Cydia pomonella</i>)</b>				
		<b>Product Code</b>	<b>Acronym</b>	<b>Trap</b>
<b>LURES</b>	<b>NEW 10/CASE LURES: Longer lasting!</b>			
	CM L2 - P (12 weeks) 10/cs	4112-10	CM L2-P	VI/1CP/IIB
	<b>10/CASE LURES: STANDARD Septa</b>			
	CMDA COMBO + AA (8 weeks) 10/cs	3462-10	CMDA+AA	VI/1CP/IIB
	<b>25/CASE LURES: STANDARD Septa</b>			
	CMDA COMBO (8 weeks) 25/cs	3461-25	CMDA	VI/1CP/IIB
	DA (8 weeks) 25/cs	3460-25	DA	VI/1CP/IIB
	CM Standard 1X (4 weeks) 25/cs	3111-25	CM	VI/1CP/IIB
	CM L2 (8 weeks) 25/cs	4111-25	CM L2	VI/1CP/IIB
	CM Standard 10X (2-3 weeks) 25/cs	3160-25	CM 10X	VI/1CP/IIB
CM MEGALURE for Mating Disruption Only (8 weeks) 25/cs	5111-25	MEGA	VI/1CP/IIB	
<b>KITS</b>	<b>3-STATION KITS: STANDARD Septa</b>			
	CMDA COMBO (8 weeks) 3-Station Kit	4562-03	CMDA	VI/1CP/IIB
	CMDA COMBO+AA (8 weeks) 3-Station Kit	3462-07	CMDA+AA	VI/1CP/IIB
	CM Standard (4 weeks) 3-Station Kit	3511-03	CM	VI/1CP/IIB
	CM L2 (8 weeks) 3-Station Kit	4511-53	CM L2	VI/1CP/IIB
	<b>25-STATION KITS: STANDARD Septa MASTER</b>			
	CM Master Fieldman Standard (4 weeks) 25-Station Kit	3611-25	CM	VI/1CP/IIB
	CM Master Fieldman L2 (8 weeks) 25-Station Kit	4611-25	CM L2	VI/1CP/IIB

<b>PHEROCON NAVEL ORANGEWORM (<i>Amyelois transitella</i>)</b>				
<b>LURES</b>	<b>NEW 10/CASE LURES</b>			
	NOW PPO-HR L2 (12 weeks) 10/cs	4126-10	NOW PPO	1CD-QC/VI/VI-M
	NOW PPO-HR L2 + NOW L2-L (12 & 4-6 weeks) 10/cs	4196-10	NOW PPO+L2-L	1CD-QC/VI/VI-M
	NOW PPO-HR L2 + NOW L2-H (12 & 6-8 weeks) 10/cs	4197-10	NOW PPO+L2-H	1CD-QC/VI/VI-M
	<b>25/CASE LURES</b>			
	NOW L2 - L (4-6 weeks) 25/cs	3196-25	NOW L2-L	1C/1CD-QC/VI/Buc
	NOW L2 - H (6-8 weeks) 25/cs	3197-25	NOW L2-H	1C/1CD-QC/VI/Buc
	<b>STANDARD NOW Bait</b>			
	IV NOW BAIT (2 weeks) 15 gram packs (50/cs)	3317-50	NOW	Egg
	IV NOW BAIT (2 weeks) 1 LB Package - EACH price	3318-01	NOW	Egg
<b>TRAPS</b>	<b>NEW TRAPS</b>			
	1CD QUICK-CHANGE™ Traps 25/cs	3302-26	NOW	
	VI Delta Modified (White/Assembled) - 25 traps, 50 liners	3314-66	NOW	
	VI Delta Modified (Orange/Assembled) - 25 traps, 50 liners	3314-65	NOW	
	<b>TRAPS: Standard IV NOW Egg</b>			
	IV NOW Egg Trap (Black) 50/cs	3320-50	NOW	
	IV NOW Egg Trap (White) 50/cs	3319-50	NOW	
<b>NEW TRAPS</b>	PREDATOR Traps 50/cs - Mite predators, such as Six-spotted Thrips, <i>Scolothrips sexmaculatus</i> and Stethorus Beetles, <i>Stethorus punctillum</i> in Almonds.	4338-50	Mite Predators	

<b>PHEROCON ORIENTAL FRUIT MOTH (<i>Grapholita molesta</i>)</b>				
<b>LURES</b>	<b>NEW 10/CASE LURES: Longer lasting!</b>			
	OFM COMBO DUAL for MD monitoring only (8 weeks) 10/cs	3472-10	OFM COMBO	1C/VI/IIC
	<b>25/CASE LURES: STANDARD Septa</b>			
	OFM Standard (4 weeks) 25/cs	3102-25	OFM	1C/VII/IIC
OFM L2 (8 weeks) 25/cs	4102-25	OFM L2	1C/VII/IIC	
<b>KITS</b>	<b>3-STATION KITS: STANDARD Septa</b>			
	OFM Standard (4 weeks) 3-Station Kit	3502-03	OFM	1C/VI/IIC
	OFM Long-Life L2 (8 weeks) 3-Station Kit	4502-53	OFM L2	1C/VI/IIC
	<b>25-STATION KITS: STANDARD Septa MASTER</b>			
	OFM Master Fieldman Standard (4 weeks) 25-Station Kit	3602-25	OFM	1C/VI/IIC
OFM Master Fieldman L2 (8 weeks) 25-Station Kit	4602-25	OFM L2	1C/VI/IIC	

<b>PHEROCON PEACH TWIG BORER (<i>Anarsia lineatella</i>)</b>				
<b>LURES</b>	<b>25/CASE LURES: STANDARD Septa</b>			
	PTB Standard (4 weeks) 25/cs	3113-25	PTB	1C/VI/IIC
	PTB L2 (8 weeks) 25/cs	4113-25	PTB L2	1C/VI/IIC
<b>KITS</b>	<b>3-STATION KITS: STANDARD Septa</b>			
	PTB Standard (4 weeks) 3-Station Kit	3513-03	PTB	1C/VI/IIC
	PTB L2 (8 weeks) 3-Station Kit	4513-53	PTB L2	1C/VI/IIC
	<b>25-STATION KITS: STANDARD Septa MASTER</b>			
	PTB Master Fieldman Standard (4 week) 25-Station Kit	3613-25	PTB	1C/VI/IIC
PTB Master Fieldman L2 (8 weeks) 25-Station Kit	4613-25	PTB L2	1C/VI/IIC	

**PHEROCON CATEGORY I**

Common Name	Scientific Name	Product Code 3-Station Kits (12 weeks)	Product Code Lures (4 week lures)	Acronym	Trap
Alfalfa Looper	<i>Autographa californica</i>	4206-03	3206-25	AFL	1C / VI / IIC
American Bollworm	<i>Helicoverpa armigera</i>	4416-03	3416-25	ABW	1C / VI / IIC
American Plum Borer	<i>Euzophera semifuneralis</i>	4411-03	3411-25	APB	1C / IIB / IIC
Amorbia: San Joaquin	<i>Amorbia cuneana</i>	4420-03	3420-25	AMOR-SJ	1C / IIB / IIC
Amorbia: Southern Ca	<i>Amorbia cuneana</i>	4427-03	3427-25	AMOR-SC	1C / IIB / IIC
Apple Clearwing Moth	<i>Synanthedon myopaeformis</i>	4215-03	3215-25	ACM	1C / VI / IIC
Apple Ermine Moth	<i>Yponomeuta malinellus</i>	4430-03	3430-25	AEM	1C / IIB / IIC
Artichoke Plume Moth	<i>Platyptilia carduidactyla</i>	3170-03	3170-25	APM	BUC
Avocado Seed Moth	<i>Stenoma catenifer</i>		3191-25	ASM	1C / VI / IIC
Banana Moth	<i>Opogana sacchari</i>		3269-25	BM	1C / VI / IIC
Barred Fruit Tree Tortrix	<i>Pandemis cerasana</i>	4239-03	3239-25	PC	1C / VI / IIC
Beet Armyworm	<i>Spodoptera exigua</i>	4210-03	3210-25	BAW	1C / BUC / VI
Bertha Armyworm	<i>Mamestra configurata</i>	4415-03	3415-25	BRA	1C / BUC / VI
Black Cutworm	<i>Agrotis ipsilon</i>	3541-03	3141-25	BCW	1C / BUC / VI
Blackheaded Fireworm	<i>Rhopobota naevana</i>	4408-03	3408-25	BFM	1C / VI / IIC
Bluegrass Webworm	<i>Parapediasia teterrella</i>	4220-03	3220-25	BWW	1C / IIB / IIC
Boll Weevil	<i>Anthonomus grandis</i>	4419-03	3419-25	BW	BW
Cabbage Looper	<i>Trichoplusia ni</i>	3519-03	3119-25	CL	1C / BUC / VI
Cactus Moth	<i>Cactoblastis cactorum</i>		3248-25	CCM	1C / VI / IIC
Carnation Leafroller	<i>Cacoecimorpha pronumbana</i>	3525-03	3125-25	CACO	1C / IIB / IIC
Carob Moth	<i>Ectomyelois ceratoniae</i>	4523-06	4123-25	CARM	1CP / VI / IIB
Carpenter Worm	<i>Prionoxystus robiniae</i>		3257-25	CWM	1C / VI / IIC
Cherry Bark Tortrix	<i>Enarmonia formosana</i>	4218-03	3218-25	CBT	1C / VI / IIC
Cherry Fruitworm	<i>Grapholita packardii</i>		3260-25	CFW	1C / VI / IIC
Chestnut Tortrix	<i>Cydia splendana</i>	4521-03	4121-25	CNT	1C / VI / IIC
Citrus Cutworm	<i>Xylomyges curialis</i>	4428-03	3428-25	CCW	1C / VI / IIC
Citrus Flower Moth	<i>Prays nephelomima</i>	4216-03	3216-25	CFM	1C / IIB / II
Corn Earworm	<i>Helicoverpa zea</i>	3538-03	3138-25	CEW	1C / BUC / VI
Cranberry Girdler	<i>Chrysoteuchia topiaria</i>	4202-03	3202-25	CBG	1C / VI / IIC
Currant Clearwing Moth	<i>Synanthedon tipuliformis</i>	4230-03	3230-25	CURM	1C / VI / IIC
Diamondback Moth	<i>Plutella xylostella</i>	3539-03	3139-25	DBM	1C / BUC / VI
Dogwood Borer	<i>Synanthedon scitula</i>	4425-03	3425-25	DWB	1C / VI / IIC
Eastern Spruce Budworm	<i>Choristoneura fumiferana</i>	4435-03	3435-25	ESB	1C / VI / IIC
Egyptian Cotton Leafworm	<i>Spodoptera littoralis</i>	3530-03	3130-25	SPOD-I	1C / BUC / VI
European Corn Borer	<i>Ostrinia nubilalis</i>	4413-03	3413-25	ECB-III	1C / BUC / VI
European Corn Borer: Iowa	<i>Ostrinia nubilalis</i>	3510-03	3110-25	ECB IA	1C / BUC / VI
European Corn Borer: New York	<i>Ostrinia nubilalis</i>	3536-03	3136-25	ECB NY	1C / BUC / VI
European Grape Berry Moth	<i>Eupoecilia ambiguella</i>	3549-03	3149-25	CA	1C / IIB / IIB
European Grapevine Moth	<i>Lobesia botrana</i>	3504-03	3104-25	EGVM	1C / IIB / IIB
European Pine Shoot Moth	<i>Rhyacionia buoliana</i>	3532-03	3132-25	EPSM	1C / VI / IIC
Evergreen Bagworm	<i>Thyridopteryx ephemeraeformis</i>	4418-03	3418-25	BGW	1C / VI / IIC
Eye Spotted Budmoth	<i>Spilonota ocellana</i>	4519-03	4119-25	ESBM	1C / VI / IIC
Fall Armyworm	<i>Spodoptera frugiperda</i>	3543-03	3143-25	FAW	1C / BUC / VI
False Codling Moth	<i>Thaumatotibia leucotreta</i>	3531-03	3131-25	FCM	1C / VI / IIC
Filbert Leafroller	<i>Archips rosanus</i>	3548-03	3148-25	AROS	1C / VI / IIC
Filbertworm	<i>Cydia latiferreana</i>	4203-03	3203-25	FBW	1C / VI / IIC
Fruittree Leafroller	<i>Archips argyrospila</i>	3517-03	3117-25	FTLR	1C / VI / IIC
Fruittree Tortrix	<i>Archips podana</i>	3523-03	3123-25	ARPO	1C / VI / IIC
Glassy Cutworm	<i>Apamea devastator</i>	4105-03	3105-25	GCW	1C / VI / IIC
Grape Berry Moth	<i>Paralobesia viteana</i>	3526-03	3126-25	GBM	1C / VI / IIC
Grape Tortrix	<i>Argyrotaenia ljungian</i>		3468-25	AP	1C / VI / IIC
Greater Peachtree Borer	<i>Synanthedon exitiosa</i>	3546-03	3146-25	GPTB	1C / VI / IIC
Gypsy Moth	<i>Lymantria dispar</i>	4707-03	3707-25	GM	1C / IIB / IIC
Hickory Shuckworm	<i>Cydia caryana</i>	4414-03	3414-25	HSW	1C / VI / IIC
Honeydew Moth	<i>Cryptoblabes gnidiella</i>	4463-01	3463-25	HDM	1C / VI / IIC
Leek Moth	<i>Acrolepiopsis assectella</i>	4222-03	3222-25	LEM	1C / BUC / VI
Lesser Appleworm	<i>Grapholita prunivora</i>	3518-03	3118-25	LAW	1C / IIB / IIC
Lesser Cornstalk Borer	<i>Elasmopalpus lignosellus</i>	4407-03	3407-25	LCSB	1C / IIB / IIC
Lesser Peachtree Borer	<i>Synanthedon pictipes</i>	3540-03	3140-25	LPTB	1C / VI / IIC
Light Brown Apple Moth	<i>Epiphyas postvittana</i>	4426-03	3426-25	LBAM	1C / VI / IIC
Lilac Borer/Ash Borer	<i>Podosesia syringae</i>	4224-03	3224-25	LILA	1C / VI / IIC
Maize Stalk Borer	<i>Busseola fusca</i>	4412-03	3412-25	MSB	1C / BUC / VI
Maple Shoot Borer	<i>Proteoterus aesculana</i> (Riley)		3268-25	MPSB	1C / VI / IIC
Mealybug-Citrus Mealybug	<i>Planococcus citri</i>		3267-25	CTMB	V / II / IIIB
Mealybug-Grape Mealybug	<i>Pseudococcus maritimus</i>		3245-25	GMB	V / II / IIIB
Mealybug-Longtailed Mealybug	<i>Pseudococcus longispinus</i>		3279-25	LMB	V / II / IIIB
Mealybug-Obscure Mealybug	<i>Pseudococcus viburni</i>		3190-25	OMB	V / II / IIIB
Mealybug-Vine Mealybug	<i>Planococcus ficus</i>	4522-03	4122-25	VMB	V / II / IIIB
Mediterranean Corn Stalk Borer	<i>Sesamia nonagrioides</i>	4464-06	3464-25	CSBR	1C / VI / IIC
Mediterranean Fruit Fly	<i>Ceratitis capitata</i>	3529-03	3129-25	MFF	II / JT
Melon Fly	<i>Bactrocera cucurbitae</i>	4225-03	3225-25	MLF	1C / VI / IIC
Mint Root Borer	<i>Fumibotys fumalis</i>	4437-03	3437-25	MRB	1C / IIB / IIC
Nantucket Pine Tip Moth	<i>Rhyacionia frustrana</i>	4405-03	3405-25	NPTM	1C / BUC / VI

**PHEROCON CATEGORY I continued**

Common Name	Scientific Name	Product Code 3-Station Kits (12 weeks)	Product Code Lures (4 week lures)	Acronym	Trap
New World Stalkborer	<i>Diatraea considerata</i>		3259-25	NWSB	1C / VI / IIC
Nutgrass (African) Armyworm	<i>Spodoptera exempta</i>	4404-03	3404-25	SPOD-III	1C / BUC / VI
Obliquebanded Leafroller	<i>Choristoneura rosaceana</i>	4208-03	3208-25	OBLR	1C / VI / IIC
Obliquebanded Leafroller, W	<i>Choristoneura rosaceana</i>	4223-03	3223-25	OBLR-W	1C / VI / IIC
Olive Moth	<i>Prays oleae</i>	3550-03	3150-25	OM	1C / II / IIB
Olive Pyralid Moth	<i>Euzophera pinguis</i>		3469-25	OPM	1C / VI / IIC
Omnivorous Leafroller	<i>Platynota stultana</i>	3533-03	3133-25	OLR	1C / VI / IIC
Omnivorous Looper	<i>Sabulodes aegrotata</i>	4421-03	3421-25	OLP	1C / VI / IIC
Orange Tortrix	<i>Argyrotaenia citrana</i>	3534-03	3134-25	OT	1C / IIB / IIC
Oriental Beetle	<i>Anomala orientalis</i>	4442-03	3442-25	OB	JB
Oriental Fruit Fly	<i>Bactrocera dorsalis</i>	4226-03	3226-25	OFF	II / JT
Pale Western Cutworm	<i>Agrotis orthogonia</i>	4436-03	3436-25	PWC	1C / BUC / VI
Peach Fruit Fly	<i>Bactrocera zonata</i>		3246-25	PFF	1C / AM/NB
Pecan Nut Casebearer	<i>Acrobasis nuxvorella</i>	4236-03	3236-25	PNCB	1CP / VI / IIID
Pecan Nut Casebearer-Mexican Strain	<i>Acrobasis nuxvorella Neuzig</i>		3244-25	PNCB-M	1CP / VI / IIID
Pickleworm	<i>Diaphania nitidalis</i>		3422-25	PW	
Pine Processionary Moth	<i>Thaumetopoeae pityocampa</i>		4125-25	PPM	1C / VI / IIC
Pink Bollworm	<i>Pectinophora gossypiella</i>	3524-03	3124-25	PBW	II / IIID
Plum Fruit Moth	<i>Grapholita funebrana</i>	3512-03	3112-25	GFUN	1C / VI / IIC
Potato Tuberworm	<i>Phthorimaea operculella</i>	3537-02	3137-30	PTM-I	1C / VI / IIC
Redbanded Leafroller	<i>Argyrotaenia velutinana</i>	3503-03	3103-25	RBLR	1CP / VI / IIB
Rhomboid Tortrix	<i>Acleris rhombana</i>	4417-03	3417-25	ARB	1C / VI / IIC
Sequoia Pitch Moth	<i>Synanthedon sequoiae</i>	4410-03	3410-25	SPM	1C / VI / IIC
Silver Y Moth	<i>Autographa gamma</i>	4429-03	3429-25	SYM	1C / VI / IIC
Smaller Tea Tortrix	<i>Adoxophyes honmai</i>	4423-03	3116-25	ADOX-F	1C / VI / IIC
Southwestern Corn Borer	<i>Diatraea grandiosella</i>	4409-03	3409-25	SWCB	1C / VI / IIC
Sparganothis Fruitworm Moth	<i>Sparganothis sulfureana</i>	4403-03	3403-25	SPAR	1C / VI / IIC
Speckled Cutworm	<i>Lacanobia subjuncta</i>	3643-03	3243-25	LSJ	1C / BUC / VI
Speckled Green Fruit Worm	<i>Orthosia hibisci</i>		3510-25	SGF	1C / VI / IIC
Spiny Bollworm	<i>Earias insulana</i>	4211-03	3211-25	SBW	IIB / IIID / BUC
Spotted Cutworm	<i>Xestia c-nigrum</i>	4441-03	3441-25	SCW	1C / VI / IIC
Spotted Stalk Borer	<i>Chilo partellus</i>	4232-03	3232-25	SSB	1C / BUC / VI
Spotted Tentiform Leafminer	<i>Phyllonorycter blancardella</i>	3544-03	3144-25	TLM	1C / VI / IIC
Squash Vine Borer	<i>Melittia cucurbitae</i>		3254-25	SVB	1C / BUC / VI
Strawberry Crown Moth	<i>Synanthedon biblionipennis</i>	4207-03	3207-25	SCM	1C / VI / IIC
Summer Fruit Tortrix	<i>Adoxophyes orana</i>	3509-03	3109-25	ADOX-O	1C / VI / IIC
Sunflower Moth	<i>Homoeosoma electellum</i>	4204-03	3204-25	SHM	1C / IIC / VI
Sweet Potato Weevil	<i>Cylas formicarius</i>		3252-25	SPW	BUC
Threelined Leafroller- Pandemis/US	<i>Pandemis limitata</i>	3547-03	3147-25	PL	1C / IIB / IIC
Tobacco Budworm	<i>Heliothis virescens</i>	3522-03	3122-25	TBW	1C / VI / IIC
Tobacco Cutworm	<i>Spodoptera litura</i>		3271-25	TCW	1C / BUC
Tomato Leafminer	<i>Tuta absoluta</i>		3710-25	TA	
Tomato Pinworm	<i>Keiferia lycopersicella</i>	3542-03	3142-25	TPW	1C / VI / IIC
True Armyworm	<i>Muthimna unipuncta</i>	4205-03	3205-25	AMW	1C / BUC / VI
Tufted Apple Bud Moth	<i>Platynota idaeusalis</i>	3515-03	3115-25	TBM	1C / VI / IIC
Uglynest Caterpillar	<i>Archips cerasivorana</i>	4434-03	3434-25	UGG	1C / VI / IIC
Variiegated Cutworm	<i>Peridroma saucia</i>	4201-03	3201-25	VGC	1C / BUC / VI
Variiegated Leafroller	<i>Platynota flavedana</i>	4209-03	3209-25	VLR	1C / VI / IIC
Western Bean Cutworm	<i>Striacosta albicosta</i>	4406-03	3406-25	WBCW	1C / VI / IIC
Western Grapeleaf Skeletonizer	<i>Harrisina brillians</i>		3448-25	WGLS	1C / VI / IIC
Western Poplar Clearwing	<i>Paranthrene robiniae</i>	4440-03	3440-25	WPCM	1C / VI / IIC
Western Yellowstriped Armyworm	<i>Spodoptera praefica</i>	4438-03	3438-25	WYA	1C / BUC / VI
Whitemarked Tussock Moth	<i>Orgyia leucostigma</i>	4433-03	3433-25	WMT	1C / VI / IIC

**NOTE:** Please ask if we can make pheromones that are not listed in our catalog. Often we can provide them if the pheromone has been identified.



**PHEROCON CATEGORY II**

Common & Scientific Name	Product Code 3-Station Kits	Product Code Lures	Product Code Trap	Acronym	Trap
AM-Apple Maggot Fruit Fly ( <i>Rhagoletis pomonella</i> ) – 3-Station Kit, with food attractant (9 traps)	3505-03			AM	AM
AM No-Bait (Aphids, Fungus Gnats, Leafminers, Thrips, Whiteflies) / Corn Rootworm ( <i>Diabrotica spp.</i> ) – 3-Station Kit (9 unbaited traps)	3506-03			AM / NB	AM / NB
California Red Scale ( <i>Aonidiella aurantii</i> ) – 5-Station Kit (4-6 week lures) (10 traps & 5 lures)	3501-01	3101-25		CRS	V
Green June Beetle ( <i>Cotinis nitida</i> ) – 4 week lures (10/cs)		3449-10		GJB	JB
<b>NEW</b> Leafrollers LR COMBO DUAL Lure – 3-Station Kit (6-8 week lures) LR COMBO DUAL Lure (6-8 week lures) (10/cs)	4473-03	3473-10		LR LR	VI VI
Olive Fruit Fly ( <i>Bactrocera (Dacus) oleae</i> ) – 3-Station Kit (4 week lures) (6 unbaited traps, 6 pheromone lures & 6 peelable supercharger kairomone lures) ( <b>NEW Formulation</b> )	4213-06			OLF	AM / NB
Pepper Weevil ( <i>Anthonomus eugenii</i> ) 4-Station Kit (2-3 week lures) (8 traps & 4 dual lures) 4-Station Kit (2-3 week lures) (4 traps & 4 dual lures)	4424-08 4424-04			PEW PEW	PEW PEW
Pine Sawyer Beetle ( <i>Monochamus galloprovincialis</i> )		3450-25		PSB	
Red Palm Weevil ( <i>Rhynchophorus ferrugineus</i> )		4128-25		RDPW	
San Jose Scale ( <i>Quadraspidiotus perniciosus</i> ) – 5-Station Kit (4-6 week lures) (10 traps & 5 lures)	3545-01	3145-25		SJS	V
Six-Toothed Spruce Bark Beetle ( <i>Pityogenes chalcographus</i> )		3247-25		SBB	
Spotted Wing Drosophila ( <i>Drosophila suzukii</i> ) Lures High Specificity Lure (Peelable) / Low Capture of non-target (4-6 week lures) (10/cs) PEEL-PAK™ Broad Spectrum Lure / High Capture (4-6 week lures) (10/cs)		5001-1R 5001-1P		SWD SWD	SWD SWD
Spotted Wing Drosophila ( <i>Drosophila suzukii</i> ) SWD Traps (10/cs) <b>NEW</b> SWD STKY Adhesive Traps (50/cs)			5001-10 3324-50	SWD SWD	SWD SWD
Stink Bug DUAL Lures 12 week lures (5/cs) Green Stink Bug, <i>Chinaria hilaris</i> , Brown-winged Green Bug, <i>Plautia stali</i> , Brown Marmorated Stink Bug, <i>Halyomorpha halys</i> , Harlequin Bug, <i>Murgantia histrionica</i> , & Others		3718-05		SB	SBT/SBS
CSB Stink Bug Lure (25/cs) Conspersus Stink Bug, <i>Euschistus conspersus</i> , Brown Stink Bug, <i>Euschistus servus</i> , & Others		3237-25		CSB	SBT/SBS
Stink Bug Traps Stink Bug Dual Funnel Tube Trap (EA) Stink Bug STKY™ Dual Panel Adhesive Traps (5/cs)			3339-02 3326-05	SB SB	SBT SBS
Walnut Husk Fly ( <i>Rhagoletis completa</i> ) and Cherry Fruit Fly (Eastern) ( <i>Rhagoletis cingulata</i> ) WHF & CFF – 3-Station Kit (6-8 week lures) (9 peelable superchargers with 9 unbaited traps) WHF & CFF – Peelable Superchargers (6-8 week lures)	4505-04	3704-25		WHF / CFF WHF / CFF	AM / NB AM / NB

**PHEROCON COMPONENT PRODUCTS**


Product	Primary Insects	Product Code 25/cs	Product Code 100/cs
1C Traps	OFM, PTB & Others	3302-25	3302-00
1C Traps with Plastic Tops	OFM, PTB & Others	3300-25	3300-00
1C Liners	OFM, PTB & Others	3322-25	3322-00
1CP Traps	CM, RBLR	3303-25	3303-00
1CP Traps with Plastic Tops	CM, RBLR	3304-25	3304-00
1CP Liners	CM, RBLR	3323-25	3323-00
1C & 1CP Plastic Tops	OFM, PTB & Others	3301-25	3301-00
1C & 1CP Trap Tops	OFM, PTB & Others		3310-00
1CD Traps	OFM, PTB & Others		3302-01
1CD Trap Tops	OFM, PTB & Others		3310-01
<b>NEW</b> 1CD QUICK-CHANGE™ Traps	NOW	3302-26	
II Traps	CM, PBW, MFF & Others		3311-00
IIB Traps	OFM, PTB & Others	3312-W4	3312-W9
IIC Traps	OFM, PTB & Others	4310-W4	4310-W9
III Delta Traps (Orange)	PBW & GM		3307-00
III Delta Traps (Green)	PBW & GM		3307-01
V CRS/SJS Traps	CRS/SJS	3329-25	
V Tent Traps	SJS	3327-25	
VI Delta (White/Assembled) - 25 traps, 50 liners	CM, PNCB & Others	3314-25	
VI Delta (Orange/Assembled) - 25 traps, 50 liners	CM, PNCB & Others	3315-14	
VI Delta (White/Unassembled) - 25 traps, 50 liners	CM, PNCB & Others	3314-30	
VI Delta (Orange/Unassembled) - 25 traps, 50 liners	CM, PNCB & Others	3315-30	
<b>NEW</b> VI Delta Modified (White/Assembled) - 25 traps, 50 liners	NOW	3314-66	
<b>NEW</b> VI Delta Modified (Orange/Assembled) - 25 traps, 50 liners	NOW	3314-65	
VI Delta Liners	CM, PNCB & Others		3354-00
VI Unassembled Trap (White) with CLEAN-BRAKE Liners - 25 traps, 50 liners	CM, PNCB & Others	3314-34	
VI CLEAN-BRAKE Liners	CM, PNCB & Others		3354-03
BW Traps	Boll Weevil	3335-25	
AM Traps	AM		3305-00
AM No-Bait Traps	WHF, CFF, CRW, Leafminers & Others		3306-00
JT Traps (Jackson) Inserts	MFF		3346-02
JT Traps (Jackson) Body	MFF		3343-00

Product	Primary Insects	Product Code/ea
Bucket Traps (Yellow/White/Green)	BAW, NPTM, & Others	3337-02
Bucket Traps (Green)	BAW, NPTM, & Others	3337-01


**Product**  
Japanese Beetle Traps and Lures - Call for pricing




*PHEROCON® VI Delta Trap*



*PHEROCON® 1C Trap*



*PHEROCON® 1CP Trap*



*PHEROCON® 1CD QUICK-CHANGE Trap*



*PHEROCON® VI Delta Modified Trap*



*PHEROCON® V Trap*



*PHEROCON® Tent Trap*



*PHEROCON® AM, AM/NB Trap*



*PHEROCON® IIID Trap*



*PHEROCON® IV (NOW) Egg Trap*



*PHEROCON® Bucket Trap*



*PHEROCON® SWD Trap*



*PHEROCON® Japanese Beetle Trap*



*PHEROCON® Japanese Beetle Xpando Trap*

#### Terms and Conditions

#### ORDERING INFORMATION:

Customer Service:  
Telephone: (918) 785-3061  
Fax: (918) 785-3063  
E-Mail: [custserv@trece.com](mailto:custserv@trece.com)  
Mail: P.O. Box 129, Adair, OK 74330  
Customer Support: <http://www.trece.com>

#### TERMS AND CONDITIONS:

Minimum Order: \$250.00  
Credit Terms: Net 30 days from Date of Invoice.  
Credit Cards: VISA or MASTERCARD are accepted.  
Bank Wire Information: Available upon request.

**NOTE:** Please have your bank send funds to their corresponding U.S. bank to forward to Trécé's bank. Details listed above.  
Payment currency is requested to be in United States Dollars (USD) or United States Funds (USF).  
Trécé, Inc. will not be responsible for any banking charges incurred in bank transfers to Trécé, Inc. accounts.  
Prices are subject to change without notice.

#### SHIPPING INFORMATION:

Freight Terms: EXW, TRÉCÉ plant, Adair, OK (74330), Delivered proforma pricing, including freight charges, available upon request; freight, handling, insurance, duties and taxes are for buyers account; all of these charges will be prepaid and charged to the customer's account.

Delivery: Please allow two (2) weeks for delivery of shipment after receipt of order.

Commodity Shipping Kit Description: Insect Monitoring Device.

#### IMPORTANT NOTICE:

Concerning the use of STORGARD® and PHEROCON® Attractants, insect traps and kits: These materials are supplied by TRÉCÉ, INC. to provide a means for monitoring insect populations as a guide to the timing of spray applications and other pest management operations for certain insects. The material should be regarded as a supplementary aid in insect control planning. However, spray programs should not be altered solely on the data obtained from the use of these materials. Users of these materials shall themselves determine the usability of the products for their intended uses and shall assume all risk and liability arising from such uses.

It is strongly recommended that users consult with qualified commercial pest management consultants or representatives of extension services, universities or governmental agricultural departments.

- All kits purchased with the PHEROCON® VI trap will be at a higher price. Please contact our Customer Service Department for pricing.
- Any kit may be purchased with the PHEROCON® IIB Trap. Please contact our Customer Service Department for pricing.
- **NOTE:** All 3-Station Kits may be purchased as 1-Station Kits. Please contact our Customer Service Department for details.
- Lures may be purchased in Convenience Packs of 25 units contained in a sealed zip-lock pouch at the same price as our Standard Package.



INSECT MONITORING SYSTEMS AND PHEROMONES

1-866-785-1313 | [www.trece.com](http://www.trece.com)